## CLINICAL AND EXPERIMENTAL IMMUNOLOGY

## CONTENTS

J. L. FAHEY & R. SCHOOLEY: Status of immune-based therapies in HIV infection and AIDS							
therapies in HIV infection and AIDS	J. L	. FAHEY	& R.	SCHOOLEY:	Status	of	immune-based
	thera	apies in l	HIV in	fection and	AIDS		

Vol. 88 No. 1 April 1992

A. Webster, A. N. Phillips, C. A. Lee, G. Janossy, P. B. KERNOFF & P. D. GRIFFITHS: Cytomegalovirus (CMV) infection, CD4+ lymphocyte counts and the development of AIDS in HIV-1-infected haemophiliac patients

F. J. E. DAVID, B. AUTRAN, M. RAPHAEL, P. DEBRE, B. L. HSI, T. G. WEGMAN, F. BARRE-SINOUSSI & G. CHOUAT: Human trophoblast cells express CD4 and are permissive for productive infection with HIV-1

F. MANCA, L. WALKER, A. NEWELL, F. CELADA, J. A. HABESHAW & A. G. DALGLEISH: Inhibitory activity of HIV envelope gp120 dominates over its antigenicity for human T cells

O. Pos, A. Stevenhagen, P. L. Meehorst, F. P. Kroon & R. VAN FURTH: Impaired phagocytosis of Staphylococcus aureus by granulocytes and monocytes of AIDS patients A. D. CROCKARD, N. A. M. BOYD, T. A. MCNEILL & D. R. McCluskey: CD4 lymphocyte subset abnormalities associated with impaired delayed cutaneous hypersensitivity reactions in patients with X-linked agammaglobulinaemia

N. KONDO, T. OZAWA, Y. KATO, F. MOTOYOSHI, K. KASAHARA, T. KAMEYAMA & T. ORII: Reduced secreted µ mRNA synthesis in selective IgM deficiency of Bloom's syndrome

M. J. BARRENA, P. ECHANIZ, C. GARCIA-SERRANO, P. ZUBILLAGA & E. CUADRADO: Differential expression of lymphocyte function-associated antigen (LFA-1) on peripheral blood leucocytes from individuals with Down's syndrome

H. LÖHR, U. TREICHEL, T. PORALLA, M. MANNS, K. H. MEYER ZUM BÜSCHENFELDE & B. FLEISCHER: Liverinfiltrating T helper cells in autoimmune chronic active hepatitis stimulate the production of autoantibodies against the human asialoglycoprotein receptor in vitro R. VOLPES, J. J. VAN DAN OORD & V. J. DESMET: LAM-1/ Leu 8 antigen is expressed on portal, but not on lobular intrahepatic mononuclear cells in inflammatory liver disease

L. ZHANG, A. P. WEETMAN, D. R. W. JAYNE, I. TURNER, S. J. YEAMAN, M. F. BASSENDINE & D. B. G. OLIVEIRA: Anti-mitochondrial antibody IgG subclass distribution and affinity in primary biliary cirrhosis

F. FORTUNE, M. COURTEAU, D. G. WILLIAMS & T. LERNER: T and B cell responses following immunization with tetanus toxoid in IgA nephropathy

T. M. CHAN, G. FRAMPTON, N. A. STAINES, P. HOBBY, G. J. PERRY & J. S. CAMERON: Different mechanisms by

which anti-DNA MoAbs bind to human endothelial cell	S
and glomerular mesangial cells	

68

75

84

91

96

101

107

112

119

129

132

138

143

A. KITANI, M. HARA, T. HIROSE, M. HARIGAI, K. SUZUKI. M. KAWAKAMI, Y. KAWAGUCHI, T. HIDAKA, M. KAWAGOE & H. NAKAMURA: Autostimulatory effects of IL-6 on excessive B cell differentiation in patients with systemic lupus erythematosus: analysis of IL-6 production and IL-6R expression

D. ASHANY, J. HINES, A. GHARAVI, J. MOURADIAN & K. B. ELKON: Analysis of autoantibody production is SCIDsystemic lupus erythematosus (SLE) chimeras

10 H. BECKER, A. LANGROCK & K. FEDERLIN: Imbalance of CD4+ lymphocyte subsets in patients with mixed connective tissue disease

R. HOLMDAHL & C. KVICK: Vaccination and genetic 17 experiments demonstrate that adjuvant-oil-induced arthritis and homologous type II collagen-induced arthritis in the same rat strain are different diseases

C. VERHAGEN, A. C. BREEBAART, M. S. A. SUTTORP-23 SCHULTEN, R. HOEKZEMA, M. VAN HAREN & A. KIJLSTRA: Induction of autoantibodies to rat corneal protein 54 L. E. MACKENZIE, R. A. MAGEED, P. Y. YOUINOU, B. YUKSEL, R. JEFFERIS & P. M. LYDYARD: Repertoire of

CD5+ and CD5- cord blood B cells: specificity and expression of V<sub>H</sub>I and V<sub>H</sub>III associated idiotypes Y. A. ABU-ZEID, T. G. THEANDER, N. A. ABDULHADI, L. HVIID, B. O. SAEDD, S. JEPSEN, J. B. JENSEN & R. A. BAYOUMI: Modulation of the cellular immune response

during Plasmodium falciparum infections in sickle cell trait individuals C. A. C. VAZ, D. W. R. MACKENZIE, V. M. HEARN, Z. P. CAMARGO, L. M. SINGER-VERMES, E. BURGER &

V. L. G. CALICH: Specific recognition pattern of IgM and IgG antibodies produced in the course of experimental paracoccidiodomycosis A. ROBINSON & E. ABRAHAM: Effects of haemorrhage on

bacterial antigen specific pulmonary plasma cell function 124 R. D. HUBBARD, C. M. FLORY, F. M. COLLINS & C. 45 COCITO: Immunization of mice with the antigen A60 of Mycobacterium bovis BCG

W. E. PULLMAN & W. F. DOE: IL-2 production by 50 intestinal lamina propria cells in normal inflamed and cancer-bearing colons K. M. Das, I. Squillante & F. Robertson: Expression of

the 40 kD protein in DLD-1 colon cancer cells and the 56 effect of cytokines L. H. CALDERA, M. LEON-PONTE, G. ACQUATELLA, N. E.

BIANCO & I. BLANCA: Bone marrow and peripheral blood natural killer cell activity in lymphomas. Its response to

C. A. CHAMBERS, B. ZIMMERMAN & N. HOZUMI: Func-

diagnosis

S. DHANDAYUTHAPANI, S. IZUMI, D. ANANDAN & V. N.

BHATIA: Specificity of IgG subclass antibodies in different tional heterogeneity of human T cell clones from atopic 149 clinical manifestations of leprosy 253 and non-atopic donors W. Z. WANG, T. OLSSON, V. KOSTULAS, B. HÖJEBERG, T. F. Dafa'Alla, H. W. Ghalib, A. Abdelmageed & J. F. WILLIAMS: The profile of IgG and IgG subclasses of H. P. EKRE & H. LINK: Myelin antigen reactive T cells in onchocerciasis patients cerebrovascular diseases 157 258 A. HAMMOND, W. OLLIER & M. J. WALPORT: Effects of C4 N. BENBERNOU, P. MATSIOTA-BERNARD, C. JOLIVET, P. null alleles and homoduplications on quantitative OUGEN & M. GUENOUNOU: Tumour necrosis factor, IL-1 expression of C4A and C4B 163 and IL-6 in bronchoalveolar washings and their in vitro S. SMITH, C. H. BROWN-GALATOLA & N. D. HALL: production during Nippostrongylus brasiliensis infection Modulation of human T cell functions by surface sulphyd-M. NORITAKE, Y. KATSURA, N. SHINOMIYA, M. KANAryl groups: differential effects on IL-2 production and TANI, Y. UWABE, N. NAGATA & S. TSURU: Intracellular responsiveness 169 hydrogen peroxide production by peripheral phagocytes G. VINCE, S. SHORTER, P. STARKEY, J. HUMPHRIES, L. from diabetic patients. Dissociation between polymor-CLOVER, T. WILKINS, I. SARGENT & C. REDMAN: Localizaphonuclear leucocytes and monocytes 269 tion of tumour necrosis factor production in cells at the M. FREEMAN & A. P. WEETMAN: T and B cell reactivity to materno/fetal interface in human pregnancy adrenal antigens in autoimmune Addison's disease 275 M. TAKEUCHI, S. NAGAI, H. NAKADA, H. AUNG, N. C. PRIOR & P. L. HASLAM: In vivo levels and in vitro SATAKE, H. KANESHIMA & T. IZUMI: Characterization of production of interferon-gamma in fibrosing interstitial IL-1 inhibitory factor released from human alveolar 280 macrophages as IL-1 receptor antagonist 181 J. H. RYU, Z. VUK-PAVLOVIĆ & M. S. ROHRBACH: Monocyte heterogeneity in angiotensin-converting enzyme induction mediated by autologous T lymphocytes 288 N. YANO, M. ENDOH, M. MIYAZAKI, F. YAMAUCHI, Y. Vol. 88 No. 2 May 1992 NOMOTO & H. SAKAI: Altered production of IgE and IgA induced by IL-4 in peripheral blood mononuclear cells J. E. BOYD & K. JAMES: B cell responses to HIV and the from patients with IgA nephropathy development of human monoclonal antibodies 189 S. T. LILLEVANG, J. ROSENKVIST, C. B. ANDERSEN, T. J. MÜHLEBACH, J. GABAY, C. F. NATHAN, C. ERNY, G. S. LARSEN, E. KEMP & T. KRISTENSEN: Single and DOPFER, H. SCHROTEN, V. WAHN & R. A. SEGER: Treatcombined effects of the vitamin D analogue KH1060 and ment of patients with chronic granulomatous disease with cyclosporin A on mercuric-chloride-induced autoimmune recombinant human interferon-gamma does not improve disease in the BN rat 301 neutrophil oxidative metabolism, cytochrome b558 con-E. KASP, M. R. STANFORD, E. BROWN, A. G. A. COOMBES tent or levels of four anti-microbial proteins & D. C. DUMONDE: Circulating immune complexes may H. YANAGAWA, S. SONE, M. MUNEKATA, S. ATAGI, A. NII play a regulatory and pathogenic role in experimental & T. OGURA: IL-6 in malignant pleural effusions and its 307 autoimmune uveoretinitis augmentation by intrapleural instillation of IL-2 M. F. VAN DEN BROEK, M. C. J. VAN BRUGGEN, J. P. L. M. B. VAESSEN, C. C. BAAN, A. J. OUWEHAND, KOOPMAN, M. P. HAZENBERG & W. B. VAN DEN BERG: N. H. P. M. JUTTE, A. H. M. M. BALK, B. MOCHTAR, Gut flora induces and maintains resistance against strep-F. H. J. CLAAS & W. WEIMAR: Acute rejection in heart tococcal cell wall-induced arthritis in F344 rats transplant patients is associated with the presence of P. ZARCO, C. MAESTRE, G. HERRERO-BEAUMONT, E. committed donor-specific cytotoxic lymphocytes in the GONZÁLEZ, R. GARCIA-HOYO, F. J. NAVARRO, P. BRAQUET graft but not in the blood 213 & J. Egido: Involvement of platelet-activating factor and C. L. INGHAM CLARKE, G. J. SMITH, P. W. CRANE, tumour necrosis factor in the pathogenesis of joint B. A. PRICE, P. A. LEAR, J. W. FABRE & R. F. M. WOOD: inflammation in rabbits 318 Reduction of graft-versus-host reactivity after small bowel M. F. GONZALEZ, I. WICHMANN, J. YELAMOS, J. MELERO, transplantation: ex vivo treatment of intestinal allografts R. MAGARIÑO, J. SANCHEZ-ROMAN, A. NUÑEZ-ROLDAN & with an anti-T cell immunotoxin B. SANCHEZ: A human monoclonal autoantibody to a P. U. CAMERON, U. FORSUM, H. TEPPLER, A. GRANELLInucleolar structure 324 PIPERNO & R. M. STEINMAN: During HIV-1 infection most M. R. PADROS, M. I. NOLI & L. FAINBOIM: Expression of blood dendritic cells are not productively infected and can ICAM-1 (CD54) on normal and leukaemic B cells: induce allogeneic CD4+ T cells clonal expansion implication for the mixed lymphocyte reaction 329 F. HENTGES, A. HOFFMANN, F. OLIVEIRA DE ARAUJO & H. Z. Hu, R. A. DE WEGER, K. BOSBOOM-KALSBEEK, R. HEMMER: Prolonged clinically asymptomatic evolution M. G. J. TILANUS, J. ROZING & H. J. SCHUURMAN: T cell after HIV-1 infection is marked by the absence of receptor  $V\beta$  variable gene family expression in human complement C4 null alleles at the MHC 237 peripheral blood lymphocytes at the mRNA and mem-M. Bofill, G. Janossy, C. A. Lee, D. Macdonaldbrane protein level 335 BURNS, A. N. PHILLIPS, C. SABIN, A. TIMMS, M. A. M. A. NIETO, A. GONZÁLEZ, F. GAMBÓN, F. DÍAZ-ESPADA JOHNSON & P. B. A. KERNOFF: Laboratory control values & A. LÓPEZ-RIVAS: Apoptosis in human thymocytes after for CD4 and CD8 T lymphocytes. Implications for HIV-1 treatment with glucocorticoids 341

243

E. B. J. VAN NIEUWKERK, S. VAN DER BAAN, C. D.

RICHTERS & E. W. A. KAMPERDIJK: Isolation and charac-

terization of dendritic cells from adenoids of children with otitis media with effusion  A. Sodhi, R. K. Singh & S. M. Singh: Effect of	345	F. D. CRICK & P. A. GATENBY: Limiting-dilution analysis of T cell reactivity to mycobacterial antigens in peripheral blood and synovium from rheumatoid arthritis	
interferon-gamma priming on the activation of murine peritoneal macrophages to tumouricidal state by cispla- tin, IL-1, and tumour necrosis factor (TNF): production		patients A. GAUSE, R. KÜPPERS & R. MIERAU: A somatically mutated VκIV gene encoding a human rheumatoid factor	424
of IL-1 and TNF Y. Itoh, N. Maruyama, M. Kitamura, T. Shirasawa, K. Shigemoto & T. Koike: Induction of endogenous	350	light chain R. García-Vicuña, A. Humbría, A. A. Postigo, C. López-Elzaurdia, M. O. De Landázuri, F. Sánchez-	430
retroviral gene product (SU) as an acute-phase protein by IL-6 in murine hepatocytes  J. NI & A. KARPAS: Relationship between a novel human cytotoxin (factor 2) produced by a B cell line (Karpas 160)	356	MADRID & A. LAFFÓN: VLA family in rheumatoid arthritis: evidence for <i>in vivo</i> regulated adhesion of synovial fluid T cells to fibronectin through VLA-5 integrin	435
and phorbol-myristate-acetate-associated cytotoxicity WHO-IUIS NOMENCLATURE SUBCOMMITTEE ON INTER- LEUKIN DESIGNATION: Nomenclature for secreted regula-	360	A. B. HASSELL, D. PILLING, D. REYNOLDS, P. F. LIFE, P. A. BACON & J. S. H. GASTON: MHC restriction of synovial fluid lymphocyte responses to the triggering organism in	
tory proteins of the immune system (interleukins)  A. Kola, A. Klos, W. Bautsch, T. Kretzschmar &  J. Köhl: Functional activities of synthetic anaphylatoxic	367	reactive arthritis. Absence of a class I-restricted response K. Eguchi, A. Kawakami, M. Nakashima, H. Ida, S. Sakito, N. Matsuoka, K. Terada, M. Sakai, Y. Kawabe,	442
peptides in widely used biological assays	368	T. FUKUDA, T. ISHIMARU, K. KUROUJI, N. FUJITA, T. AOYAGI, K. MAEDA & S. NAGATAKI: Interferon-alpha and dexamethasone inhibit adhesion of T cells to endothelial	
Vol. 88 No. 3 June 1992		cells and synovial cells R. O. WILLIAMS, C. PLATER-ZYBERK, D. G. WILLIAMS &	448
I. B. Fritz: What is clusterin? E. Mariani, A. Facchini, M. C. Honorati, E. Lalli, E. Berardesca, P. Ghetti, S. Marinoni, F. Nuzzo, G. C. B.	375	R. N. MAINI: Successful transfer of collagen-induced arthritis to severe combined immunodeficient (SCID) mice	455
ASTALDI RICOTTI & M. STAFANINI: Immune defects in families and patients with xeroderma pigmentosum and		J. RAHMAN, J. LOH & N. A. STAINES: Low-affinity antibodies against collagen type II produced by lymph	433
trichothiodystrophy O. Bagasra, A. Howeedy & R. J. Pomerantz: Adenosine-deaminase-associated immunodeficiency. I. Differ-	376	node cells are associated with pathology in collagen- induced arthritis in rats R. HOLMDAHL, L. JANSSON, M. ANDERSSON & R. JONSSON:	461
ential sensitivities of lymphocyte subpopulations exposed to 2-deoxycoformycin <i>in vivo</i> L. E. French, J. Tschopp & J. A. Schifferli: Clusterin in	383	Genetic, hormonal and behavioural influence on sponta- neously developing arthritis in normal mice S. LIGHTMAN & J. GREENWOOD: Effect of lymphocytic	467
renal tissue: preferential localization with the terminal component complex and immunoglobulin deposits in	200	infiltration on the blood-retinal barrier in experimental autoimmune uveoretinitis	473
glomeruli L. Layward, A. C. Allen, S. J. Harper, J. M. Hatters- ley & J. Feehally: Increased and prolonged production	389	A. CAYOTA, F. VUILLIER, D. SCOTT-ALGARA, V. FEUILLIE & G. DIGHIERO: Impaired proliferative capacity and abnormal cytokine profile of naive and memory CD4 T	450
of specific polymeric IgA after systemic immunization with tetanus toxoid in IgA nephropathy  H. KAWACHI, M. ORIKASA, K. MATSUI, T. IWANAGA, S.	394	cells from HIV-seropositive patients P. H. HART, C. A. JONES & J. J. FINLAY-JONES: Peritoneal macrophages during peritonitis. Phenotypic studies	478
TOYABE, T. OITE & F. SHIMIZU: Epitope-specific induction of mesangial lesions with proteinuria by a MoAb against mesangial cell surface antigen	399	J. N. HIGGINBOTHAM, T. L. LIN & S. B. PRUETT: Effect of macrophage activation on killing of <i>Listeria monocyto-</i> genes. Roles of reactive oxygen or nitrogen intermediates,	707
M. F. PRUMMEL, W. M. WIERSINGA, R. VAN DER GAAG, M. P. MOURITS & L. KOORNNEEF: Soluble IL-2 receptor levels in patients with Graves' ophthalmopathy	405	rate of phagocytosis, and retention of bacteria in endo- somes N. D. KARUNAWEERA, R. CARTER, G. E. GRAU, D.	492
A. G. WANGEL, S. KONTIAINEN, T. SCHEININ, A. SCHLENZKA, D. WANGEL & J. MÄENPÄÄ: Anti-endothelial cell antibodies in insulin-dependent diabetes mellitus		KWIATKOWSKI, G. DEL GIUDICE & K. N. MENDIS: Tumour necrosis factor-dependent parasite-killing effects during paroxysms in non-immune <i>Plasmodium vivax</i>	
T. E. MANDEL, M. KOULMANDA & I. R. MACKAY: Prevention of spontaneous and cyclophosphamide- induced diabetes in non-obese diabetic (NOD) mice with		malaria patients G. J. BOLAND, A. M. VLIEGER, C. VERVERS & G. C. DE GAST: Evidence for transfer of cellular and humoral	499
oral 2-acetyl-4-tetrahydroxybutylimidazole (THI), a component of caramel colouring III K. B. BODMAN, N. SUMAR, L. E. MACKENZIE, D. A. ISENBERG, F. C. HAY, I. M. ROITT & P. M. LYDYARD	414	immunity to cytomegalovirus from donor to recipient in allogeneic bone marrow transplantation  J. E. LORTAN, A. VELLODI, E. S. JURGES & K. HUGH-JONES: Class- and subclass-specific pneumococcal anti-	
Lymphocytes from patients with rheumatoid arthritis produce agalactosylated IgG in vitro	420	body levels and response to immunization after bone marrow transplantation	512

527

537

543

- C. J. MILLER, D. W. KANG, M. MARTHAS, Z. MOL-DOVEANU, H. KIYONO, P. MARX, J. H. ELDRIDGE, J. MESTECKY & J. R. McGHEE: Genital secretory immune response to chronic simian immunodeficiency virus (SIV) infection: a comparison between intravenously and genitally inoculated rhesus macaques
- W. H. ALWAN, F. M. RECORD & P. J. M. OPENSHAW: CD4+ T cells clear virus but augment disease in mice infected with respiratory syncytial virus. Comparison with the effects of CD8+ T cells
- R. AL ATTIVAH, H. ROSEN & G. A. W. ROOK: A model for the investigation of factors influencing haemorrhagic necrosis mediated by tumour necrosis factor in tissue sites primed with mycobacterial antigen preparations
- M. S. BASHIR, D. B. JONES & D. H. WRIGHT: Alpha-1 antitrypsin and CD30 expression occur in parallel in activated T cells

B. Hofmann, H. Bass, P. Nishanian, M. Faisal, R. A. Figlin, G. P. Sarna & J. L. Fahey: Different lymphoid cell populations produce varied levels of neopterin,  $\beta$ 2-microglobulin and soluble IL-2 receptor when stimulated with IL-2, interferon-gamma or tumour necrosis factor-alpha

548

555

559

- 520 necrosis factor-alpha S. E. Andert, A. Griesmacher, A. Zuckermann & M. M. Müller: Neopterin release from human endothelial cells is triggered by interferon-gamma
  - M. B. Hansen, M. Svenson & K. Bendtzen: Seruminduced suppression of interferon (IFN) activity. Lack of evidence for the presence of specific autoantibodies to IFN-α in normal human sera

